



MICHIGAN LECTROLS CORPORATION  
 8246 Goldie Street Commerce, MI 48390  
 Phone: (800) 445-5714 (248) 694-0130 Fax:  
 (248) 694-0138 Email: sales@lectrols.com

## Cable Assembly Selector for Yaskawa Servo Amplifiers SGDH and SGDG

### SGMAH Series Motors 100/200 Volt Single Phase

8/29/2005

	Std. Flex, Non-Shielded, PVC	Flexible Shielded, PVC	Flexible Shielded, PVC	NOTES/OPTIONS
Motor Type	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMAH-xxxxxxx</b> all without brake	JZSP-CMM00-xx(A)	BAHCE-xx(A)	JZSP-CMP00-xx(A)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> </ul>
with brake <b>SGMAH-xxxxxxC</b> all with brake	JZSP-CMM10-xx(A)	BAHBCE-xx(A)		

Note: For all cable part numbers, xx = length in meters

### SGMPH Series Motors 100/200 Volt Single Phase

8/29/2005

	Std. Flex, Non-Shielded, PVC	Flexible Shielded, PVC	Flexible Shielded, PVC	NOTES/OPTIONS
Motor Type/Size	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMPH-xxxxxxD</b> 0.1, 0.2, 0.4, 0.8 kW 1.5 kW		B4ICE-xx(A) B5ICE-xx(A)	A1ICE-xx(A)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> </ul>
with brake <b>SGMPH-xxxxxxCD</b> 0.1, 0.2, 0.4, 0.8 kW 1.5 kW		B4IBCE-xx(A) B5IBCE-xx(A)		

Note: For all cable part numbers, xx = length in meters

### SGMSH Series motors 200 Volt Three-Phase

8/29/2005

	Std. Flex, Non-Shielded, SO Cable	IP67 Potted Flexible Shielded, Oil Resistant PVC	IP67 Potted Flexible Shielded, Oil Resistant PVC	NOTES/OPTIONS
Motor Type/Size	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMSH-xxxxxxx</b> 1.0, 1.5, 2.0 kW 3.0 kW 4.0, 5.0 Kw	B1E-xx(A) B2E-xx(A) B3E-xx(A)	B1CE-xx(A) B2CE-xx(A) B3CE-xx(A)	JZSP-CMP02-xx(A) (straight connector)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> <li>◆ Straight or Rt. Angle (power cables listed are Rt. Angle)</li> </ul>
with brake <b>SGMSH-xxxxxxC</b> 1.0, 1.5, 2.0 kW 3.0 kW 4.0, 5.0 Kw	B1BE-xx(A) B2BE-xx(A) B3BE-xx(A)	B1BCE-xx(A) B2BCE-xx(A) B3BCE-xx(A)		

Note: For all cable part numbers, xx = length in meters

**SGMGH Series Motors 200 Volt Three Phase**

8/29/2005

	Std. Flex, Non-Shielded, SO Cable	IP67 Potted Flexible Shielded, Oil Resistant PVC	IP67 Potted Flexible Shielded, Oil Resistant PVC	NOTES/OPTIONS
Motor Type/Size	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMGH-xxxxxxx</b>			JZSP-CMP02-xx(A) (straight connector)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> <li>◆ Straight or Rt. Angle (power cables listed are Rt. Angle)</li> </ul>
0.5, 0.9, 1.3 kW	B1E-xx(A)	B1CE-xx(A)		
2.0, 3.0 kW	B2E-xx(A)	B2CE-xx(A)		
4.4 Kw	B3E-xx(A)	B3CE-xx(A)		
5.5, 7.5 kW	B5E-xx(A)	B5CE-xx(A)		
11, 15 kW	B6E-xx(A)	B6CE-xx(A)		
with brake <b>SGMGH-xxxxxC</b>			JZSP-CMP01-xx(A) (Right angle connector)	
0.5, 0.9, 1.3 kW	B1BE-xx(A)	B1BCE-xx(A)		
2.0, 3.0 kW	B2BE-xx(A)	B2BCE-xx(A)		
4.4 Kw	B3BE-xx(A)	B3BCE-xx(A)		
5.5, 7.5 kW**	B5E-xx(A) & B7B-xx(A)	B5BCE-xx(A) & B7BCE- xx(A)		
11, 15 kW**	B6E-xx(A) & B7B-xx(A)	B6BCE-xx(A) & B7BCE- xx(A)		
** Requires separate brake and power cable listed.				

Note: For all cable part numbers, xx = length in meters

**SGMGH Series Motors 400 Volt Three Phase**

8/29/2005

	Std. Flex, Non-Shielded, SO Cable	IP67 Potted Flexible Shielded, Oil Resistant PVC	IP67 Potted Flexible Shielded, Oil Resistant PVC	NOTES/OPTIONS
Motor Type/Size	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMGH-xxDxxxx</b>			JZSP-CMP02-xx(A) (straight connector)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> <li>◆ Straight or Rt. Angle (power cables listed are Rt. Angle)</li> </ul>
0.5, 0.9, 1.3 kW	BAE-xx(A)	BACE-xx(A)		
2.0, 3.0, 4.4 kW	BBE-xx(A)	BBCE-xx(A)		
5.5, 7.5, 11 kW	BDE-xx(A)	BDCE-xx(A)		
15 kW	B5E-xx(A)	B5CE-xx(A)		
with brake <b>SGMGH-xxDxxxC</b>			JZSP-CMP01-xx(A) (Right angle connector)	
0.5, 0.9, 1.3 kW**	BAE-xx(A) & B7B- xx(A)	BACE-xx(A) & B7BCE-xx(A)		
2.0, 3.0, 4.4 kW**	BBE-xx(A) & B7B- xx(A)	BBCE-xx(A) & B7BCE-xx(A)		
5.5, 7.5, 11 kW**	BDE-xx(A) & B7B- xx(A)	BDCE-xx(A) & B7BCE-xx(A)		
15 kW**	B5E-xx(A) & B7B- xx(A)	B5CE-xx(A) & B7BCE-xx(A)		
** Requires both brake and power cables listed.				

Note: For all cable part numbers, xx = length in meters

**SGMSH/SGMUH Series Motors 400 Volt Three Phase**

8/29/2005

	Std. Flex, Non-Shielded, SO Cable	IP67 Potted Flexible Shielded, Oil Resistant PVC	IP67 Potted Flexible Shielded, Oil Resistant PVC	NOTES/OPTIONS
Motor Type/Size	Power Cable #	Power Cable #	Encoder Cable #	
<b>SGMSH-xxDxxxx</b> <b>SGMUH-xxDxxxx</b>			JZSP-CMP02-xx(A) (straight connector)  JZSP-CMP01-xx(A) (Right angle connector)	<ul style="list-style-type: none"> <li>◆ Cable Jacket Material</li> <li>◆ Any Length</li> <li>◆ Straight or Rt. Angle (power cables listed are Rt. Angle)</li> </ul>
1.0, 1.5, 2.0 kW	BAE-xx(A)	BACE-xx(A)		
3.0 kW	BBE-xx(A)	BBCE-xx(A)		
4.0, 5.0 kW	BDE-xx(A)	BDCE-xx(A)		
with brake <b>SGMSH-xxDxxxC</b> <b>SGMUH-xxDxxxC</b>				
1.0, 1.5, 2.0 kW**	BAE-xx(A) & B7B-xx(A)	BACE-xx(A) & B7BCE-xx(A)		
3.0 kW**	BBE-xx(A) & B7B-xx(A)	BBCE-xx(A) & B7BCE-xx(A)		
4.0, 5.0 kW**	BDE-xx(A) & B7B-xx(A)	BDCE-xx(A) & B7BCE-xx(A)		
** Requires both brake and power cables listed.				

Note: For all cable part numbers, xx = length in meters

**Input/Output 1CN Cables**

JUSP-TA50P  
JZSP-CKI01-xx(A)  
JUSP-TA36P  
CKI-SGDG-xx  
JZSP-CKIOD-xx